UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/554,709	10/27/2005	Hiraku Kawasaki	DK-US030689	9367
	7590 02/03/200 OUNSELORS, LLP		EXAMINER	
1233 20TH STI	REET, NW, SUITE 70		CLARK, GREGORY D	
WASHINGTON, DC 20036-2680			ART UNIT	PAPER NUMBER
			1794	
			MAIL DATE	DELIVERY MODE
			02/03/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)			
Office Action Summary		10/554,709	KAWASAKI, HIRAKU			
		Examiner	Art Unit			
		GREGORY CLARK	1794			
Period fo	The MAILING DATE of this communication a or Reply	opears on the cover sheet with the	correspondence address			
WHIC - Exter after - If NC - Failu Any (ORTENED STATUTORY PERIOD FOR REPERIOD FOR REPERIOR IS LONGER, FROM THE MAILING Insions of time may be available under the provisions of 37 CFR 1 SIX (6) MONTHS from the mailing date of this communication. It is period for reply is specified above, the maximum statutory period to reply within the set or extended period for reply will, by statutely received by the Office later than three months after the mailed patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATIO .136(a). In no event, however, may a reply be d will apply and will expire SIX (6) MONTHS fro tte, cause the application to become ABANDON	DN. timely filed m the mailing date of this communication. IED (35 U.S.C. § 133).			
Status						
1)[\	Responsive to communication(s) filed on <u>01/</u>	707/2009				
•	This action is FINAL . 2b) This action is non-final.					
3)	<i>,</i> —					
٥,١	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Dispositi	on of Claims					
- 4)⊠	Claim(s) <u>1-26</u> is/are pending in the application	n				
	4a) Of the above claim(s) is/are withdrawn from consideration.					
	Claim(s) is/are allowed.					
	☐ Claim(s) is/are allowed. ☐ Claim(s) <u>1-26</u> is/are rejected.					
· ·	Claim(s) is/are objected to.					
•	Claim(s) are subject to restriction and	or election requirement.				
	on Papers					
	•					
•	9) The specification is objected to by the Examiner.					
10)	The drawing(s) filed on is/are: a) ☐ ac					
	Applicant may not request that any objection to th					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)	11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority ι	ınder 35 U.S.C. § 119					
a)[Acknowledgment is made of a claim for foreignal All b) Some * c) None of: 1. Certified copies of the priority documents. 2. Certified copies of the priority documents. 3. Copies of the certified copies of the prince application from the International Bure see the attached detailed Office action for a list	nts have been received. nts have been received in Applica ority documents have been recei au (PCT Rule 17.2(a)).	ition No ved in this National Stage			
2) Notic 3) Inform	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	4) Interview Summar Paper No(s)/Mail 5) Notice of Informal 6) Other:				

DETAILED ACTION

Examiner acknowledges the receipt of the Applicant's Amendment, received 1/7/2009. Claims 1-52; (1-5, 7-9, 14-18 and 20-24) amended, (6,10-13,19,25-26) original, (27-52) new.

On the basis of the applicant's position relative the Kawasaki (2005/0103481) reference cited in the first office action, the examiner has withdrawn Kawasaki as the basis of any rejections this appear in this current office action.

Rejections and objections made in previous office action that do not appear below have been overcome by applicant's amendments and therefore the arguments pertaining to these rejections/objections will not be addressed.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 1-52 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. The term "multi-component resin" does not appear in the specification and is thus undefined. The description and resin type does not allow for a focused search to make a suitable

Art Unit: 1794

prior art determination. While the applicants use the term "dual component" this is merely a material with two components, there is no support for the concept of having more than two components as claimed.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

1. Claims 1 –52 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claims 1 and14 and the associated dependent claims are rejected under 35

U.S.C. 112, second paragraph, the phrase "multi-component resin" renders the claim(s)
indefinite because the claim(s) include(s) elements not actually disclosed (those encompassed by
"multi-component resin"), thereby rendering the scope of the claim(s) unascertainable. See
MPEP § 2173.05(d). The examiner is not clear on what is counted or included in this term. The
term could mean more than one reactive component, a single reactive component with a catalyst,
or the solvent could be reactive and thus included. It is not clear what components are being
counted to add up for form the so called "multi-component" material. There is no clear means
to determine a proper prior art search.

Claims 27 and 40 and the associated dependent claims are rejected under 35 U.S.C. 112, second paragraph, the phrase "dual component resin" renders the claim(s)

Application/Control Number: 10/554,709

Art Unit: 1794

indefinite because the claim(s) include(s) elements not actually disclosed (those encompassed by "multi-component resin"), thereby rendering the scope of the claim(s) unascertainable. See MPEP § 2173.05(d). The examiner is not clear on what is counted or included in this term. The term could mean more than one reactive component, a single reactive component with a catalyst, or the solvent could be reactive and thus included. There is no clear means to determine a proper prior art search.

Page 4

This is additionally confusing as applicants call epoxy material a one component resin. Typically epoxy materials are considered a two-part reactive mixture where two components catalyst-resin are blended with an epoxy modified resin to produce the reactive mixture. One working in the art would typically consider most epoxy material to be a "dual component" resin and covered within the scope of the claims. However, this does not appear to be what the applicant intends.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

Claims 1, 2, 12-15, 25, 26-28, 38-41 and 51-52, are rejected under 35 U.S.C. 102(b) as being anticipated by Kamiya (JP 08-269367A).

Regarding Claims 1 and 27, Kamiya teaches the surface treatment of a plate-like substrate with a coating (paragraph 8). Kamiya discloses that the coating resin / formulation is a blend of melamine resin or epoxy resin with an acrylic resin. Additionally, urethane resin, phenol resin, and polyester resin can be used (paragraph 14). The examiners notes the on page 13 line18 of the specification the applicant notes examples of dual component resin which include acrylic melamine. This resin is identical to a resin disclosed by Kamiya (paragraph 14). Kamiya does not disclose any pre-treatment to the surface which would roughen the surface. The examiner takes the position take the plate substrate is without protrusions or depressions.

Regarding Claims 2, 15, 28 and 41, Kamiya teaches the surface treatment of a plate-like substrate with a coating to impart a hydrophobic nature (paragraph 8) involving a perfluoroalkyl (hydrophobic organic) group functional silica material (paragraph 10).

Regarding Claims 12-13 and 38-39, Kamiya teaches that the plate-like material used as the substrate for the surface treatments are made from aluminum/aluminum alloy and the plate-like material is of a radiation fin of a heat exchanger (paragraph 1).

Regarding Claims 14 and 40, Kamiya teaches the surface treatment of a plate-like material made of aluminum/aluminum alloy and reports no specification of the metal surface. The desired surface properties were achieved by the coating method and Kamiya discloses the same metal used in the claimed invention.

As Kamiya uses a like material (aluminum) in a like manner as claimed, it would be expected that the aluminum would have the same characteristics claimed, particularly the surface after coating treatment, absence a showing of unexpected results.

Kamiya also discloses that the coating resin / formulation is a blend of melamine resin or epoxy resin with an acrylic resin. Additionally, urethane resin, phenol resin, and polyester resin can be used (paragraph 14).

Regarding Claims 25 and 51, Kamiya teaches the invention of claim 14. Kamiya also teaches that the plate-like material used on the substrate for the surface treatments are made from aluminum/aluminum alloy and the plate-like material is of a radiation fin of a heat exchanger (paragraph 1).

Regarding Claims 26 and 52, Kamiya teaches the invention of claim 14. Kamiya teaches the plate-like material is of a radiation fin of a heat exchanger (paragraph 1).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Application/Control Number: 10/554,709 Page 7

Art Unit: 1794

Claims 3, 7, 16, 20, 29, 33, 42 and 46 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kamiya (JP 08-269367A).

Regarding Claim 3, 16, 29 and 42, Kamiya teaches the surface treatment of a plate-like substrate with a coating to impart a hydrophobic nature (paragraph 8). Kamiya presents data to show the plate-like substrate is rendered repellent to water after the coating treatment. Kamiya does not present the repellency data in the units of dyn/cm. Kamiya reports repellency by contract angle value (alternative means of reporting repellency).

It would have been obvious to one having ordinary skill in the art at the time of the invention to adjust hydrophobic nature of the material selected to obtain the desire level of repellency the intended application, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. In re Boesch, 617 F.2nd 272, 205 USPQ 215 (CCPA 1980).

Regarding Claims 7, 20, 33 and 46, Kamiya teaches the invention of claims 1 and 14. Kamiya does not mention the viscosity of the paint like coating used to coat a plate-like material. Since Kamiya teaches the same invention and fails to mention viscosity, it would have been obvious to one having ordinary skill in the art at the time of the invention to adjust the viscosity of the solvent based coating for the intended application, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. In re Boesch, 617 F.2nd 272, 205 USPQ 215 (CCPA 1980).

Application/Control Number: 10/554,709

Page 8

Art Unit: 1794

Claims 4-6, 17-19, 30-32 and 43-45 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kamiya (JP 08-269367A) as applied to claims 1 and 14 above, and further in view of Mizutani (6,013,724).

Regarding Claims 4-6, 17-19, 30-32 and 43-45, Kamiya does not give the means of how the coating is delivered or the solvent that is used. Mizutani teaches a solvent based hydrophobic paint coating which uses an organic solvent selected from butanol, octanol, and diacetone alcohol (Column 40, lines 54-58).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to use the appropriate solvent at the appropriate concentration, since it has been held that the provision of adjustability, where needed, involves only routine skill in the art. *In re Stevens*, 101 USPQ 284 (CCPA 1954).

Claims 8-11, 21-24, 34-37 and 47-50 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kamiya (JP 08-269367A) as applied to claims 1 and 14 above, and further in view Lever (5,079,087).

Regarding Claims 8, 21, 34 and 47-48, Kamiya teaches a plate material treated with a fluoroalkyl containing silica (hydrophobic silica) thermoset resin to give the surface repellency to water (paragraph 10). Kamiya does not teach corrosion resistant treatment of the plate-like material. Lever teaches the treatment of plate-like (heat exchange fins, Column 1, lines 8-10) with an activated alumina and a organic resin formulation (Column 2, lines 12-16) that imparts

hydrophilicity and corrosion resistance to the plate-like material surface (Column 2, lines 33-37). Lever teaches that condensed water readily forms spherical drops as the surface of the fins that has a hydrophobic nature and these water droplets interfere with air flow in the spaces between the fins (Column 1, lines 19-22).

It would have been obvious to some one of ordinary skill in the art at the time of the invention to combined hydrophobic plate-material treatment of Kamiya with the hydrophilic and corrosion resistance plate-like treatment of Lever to give a means to prevent corrosion damage caused by water collecting on the fin surface and to prevent water droplets from interfering with air flow (Column 2, lines 33-37; Column 1, lines 19-22).

Regarding Claims 9, 22 and 35, Kamiya and Lever teach the invention of claim 8.

Lever also teaches a hydrophilic activated alumina and resin formulation used to give a hydrophilic nature to the plate-like material dispersed in volatile organic solvents (Column 2, lines 20-23).

Regarding Claims 10-11, 23-24, 36-37 and 49-50, Kamiya and Lever teach the invention of claim 8. Both Kamiya and Lever do not teach the use of a chromic acid treatment or an oil removal treatment. Both Kamiya and Lever teach coating a plate-like substrate to achieve hydrophobic and hydrophilic surfaces.

As Kamiya and Lever use like materials (hydrophobic and hydrophilic based coating treatment) in a like manner (without chromic acid or an oil removal treatments) as claimed, it would be expected that the surfaces would have the same characteristics as claimed.

Art Unit: 1794

It would be expected that someone of ordinary skill in art at the time of the invention could have used the coatings taught by Kamiya and Lever to give hydrophobic or hydrophilic surfaces to the plate-like material without chromic acid or an oil removal treatments.

Response to Amendment

The applicant's arguments with respect to claims 1-52 have been considered but are moot in view of the new grounds of rejection necessitated by the applicant's amendment.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to GREGORY CLARK whose telephone number is (571)270-7087.

Application/Control Number: 10/554,709 Page 11

Art Unit: 1794

The examiner can normally be reached on M-Th 7:00 AM to 5 PM Alternating Fri 7:30 AM to 4

PM and Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Larry Tarazano can be reached on (571) 272-1515. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/D. Lawrence Tarazano/

Supervisory Patent Examiner, Art Unit 1794

GDC